

# 恐龍牌物流資材用品系列

Logistics Materials

# 2023-2024



KEPP


萬連物流服務

萬連物流設備

萬豐租賃



# 公司簡介



## KEPP



本公司為專業物流設備供應及製造商，主要供應項目為塑膠棧板、木棧板、紙棧板、塑膠箱和包裝材料及物流週邊設備，近日結合上述產品與RFID的結合運作。

為符合環保需求也從事中古棧板之收購再處理之作業，所收購之中古棧板於集中後做加工處理出售。

本公司亦首開先例，以全球性為目標，並以著手進行東南亞之塑膠棧板的租賃以及回收清洗之業務，目前已與全球性為分布點的跨國公司合作行之有年，讓您的棧板使用最佳化。


(USE YOUR PALLETS WISELY)




產品設計、模具開發、射出成型採一貫作業生產



# 棧板租賃清洗服務




## 棧板租賃循環使用流程



萬漣物流服務有限公司，可依客戶業運之需求，提供國內（甲地租 / 乙地還）、全球（A國租 / B國還）之特有服務。共同改進客戶現有棧板的使用狀況，以提升品質、降低成本並減少對環境的衝擊，共創三贏（客戶、客戶的客戶、供應商）的目標。

## 回收清洗作業流程



# 中古棧板回收買賣



回收：到指定地點高價回收塑膠棧板。

整理：送回工廠進行棧板清潔、品檢之作業。

倉管：品檢合格後分類進倉庫管理。

中古買賣：查詢需求尺寸，送達指定地點。




# 出口型簡易棧板

One-way Plastic pallet 符合節能減碳，以下產品為100%再生料製造



## OWH-7474

尺寸: 740x740x130mm  
板重: 5.0kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-1010

尺寸: 1000x1000x120mm  
板重: 6.9kg  
材質: HDPE、PP  
荷重: 1000kg




## OWS-1010

尺寸: 1000x1000x125mm  
板重: 5.8kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-10982

尺寸: 1090x820x128mm  
板重: 6.6kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-1174

尺寸: 1100x740x117mm  
板重: 6.0kg  
材質: HDPE、PP  
荷重: 1000kg



## OWS-1180

尺寸: 1100x800x140mm  
板重: 6.0kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH2-1180

尺寸: 1100x800x125mm  
板重: 6.5kg  
材質: HDPE、PP  
荷重: 1000kg



## OWR-1111

尺寸: 1100x1100x120mm  
板重: 9.8kg  
材質: HDPE、PP  
荷重: 1000kg



## OWS-1111

尺寸: 1100x1100x130mm  
板重: 7.0kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-1111(12)

尺寸: 1100x1100x120mm  
板重: 7.0kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-1111(13)

尺寸: 1100x1100x130mm  
板重: 9.5kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-1111(14)

尺寸: 1100x1100x140mm  
板重: 20.0kg  
材質: HDPE、PP  
荷重: 1500kg




## OWH-1111(15)

尺寸: 1100x1100x150mm  
板重: 11.0kg  
材質: HDPE、PP  
荷重: 1500kg



## OWH-116114


尺寸: 1160x1140x130mm  
板重: 10.0kg  
材質: HDPE、PP  
荷重: 1000kg




50加侖桶專用

## OWH-115115

尺寸: 1150x1150x120mm  
板重: 7.5kg  
材質: HDPE、PP  
荷重: 1000kg





# 出口型簡易棧板

One-way Plastic pallet

符合節能減碳，以下產品為100%再生料製造



堆高機



手推車

## OWH-1280

尺寸: 1200x800x120mm  
板重: 6.2kg  
材質: HDPE、PP  
荷重: 1000kg



## OWS-1210

尺寸: 1200x1000x130mm  
板重: 7.0kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-1210(12)

尺寸: 1200x1000x120mm  
板重: 6.0kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-1210(15)

尺寸: 1200x1000x150mm  
板重: 11.5kg  
材質: HDPE、PP  
荷重: 1500kg



## OWH-1211

尺寸: 1200x1100x120mm  
板重: 9.5kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-1311

尺寸: 1300x1100x130mm  
板重: 13.5kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-1311(15)

尺寸: 1300x1100x150mm  
板重: 12.9kg  
材質: HDPE、PP  
荷重: 1500kg



## OWH-135110

尺寸: 1350x1100x140mm  
板重: 15.5kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-1411

尺寸: 1400x1100x130mm  
板重: 13.0kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-145113

尺寸: 1452x1130x140mm  
板重: 16.8kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-146110

尺寸: 1465x1100x120mm  
板重: 10.0kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-148113

尺寸: 1480x1130x122mm  
板重: 11.0kg  
材質: HDPE、PP  
荷重: 1000kg



## OWS-149113

尺寸: 1490x1137x122mm  
板重: 9.8kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-170114

尺寸: 1700x1140x150mm  
板重: 14.6kg  
材質: HDPE、PP  
荷重: 1000kg



※可依客戶需求尺寸開模生產



# 特規出口型棧板

One-way Plastic pallet 符合節能減碳，以下產品為100%再生料製造



## OWH-7676

尺寸: 760x760x130mm  
板重: 4.3kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-10994

尺寸: 1090x940x128mm  
板重: 7.8kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-101101

尺寸: 1016x1016x122mm  
板重: 7.0kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-11396

尺寸: 1130x974x120mm  
板重: 7.2kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-11498

尺寸: 1140x985x135mm  
板重: 7.2kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-11499

尺寸: 1140x990x120mm  
板重: 5.5kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-11598

尺寸: 1150x985x120mm  
板重: 4.8kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-119113

尺寸: 1190x1130x120mm  
板重: 8.5kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH2-119113

尺寸: 1190x1130x120mm  
板重: 8.78kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-121101

尺寸: 1219x1016x122mm  
板重: 7.9kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-1310

尺寸: 1315x1015x125mm  
板重: 12.5kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-13114

尺寸: 1300x1140x120mm  
板重: 8.0kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-132113

尺寸: 1320x1130x122mm  
板重: 9.3kg  
材質: HDPE、PP  
荷重: 1000kg




## OWH-144110


尺寸: 1440x1100x140mm  
板重: 12.0kg  
材質: HDPE、PP  
荷重: 1000kg



## OWH-149113

尺寸: 1490x1137x122mm  
板重: 10.3kg  
材質: HDPE、PP  
荷重: 1000kg





# 廠內用棧板系列

自動倉庫、堆高機、拖板車專用棧板，可依客戶需求訂製。



## A2-0806

尺寸: 800x600x130mm  
板重: 6.5kg  
插口: 二向




## A2-1006

尺寸: 1000x600x127mm  
板重: 7.5kg  
插口: 二向



## R-1010

尺寸: 1000x1000x150mm  
板重: 23.0kg  
插口: 四向



## H-1050

尺寸: 1050x1050x150mm  
板重: 19.0kg  
插口: 四向




## HO-10682

尺寸: 1060x820x150mm  
板重: 13.5kg  
插口: 四向




## H-1174

尺寸: 1100x740x140mm  
板重: 15.0kg  
插口: 四向




## HO-1108

尺寸: 1100x800x144mm  
板重: 13.0kg  
插口: 四向




## R-1109

尺寸: 1100x900x140mm  
板重: 21.0kg  
插口: 四向




## H-1109

尺寸: 1100x900x140mm  
板重: 17.5kg  
插口: 四向




## H2-1111

尺寸: 1100x1100x140mm  
板重: 21.0kg  
插口: 二向




## RO2-1111

尺寸: 1100x1100x144mm  
板重: 30.0kg  
插口: 二向




## R-1111-A

尺寸: 1100x1100x150mm  
板重: 18.5kg  
插口: 四向




## R-1111-B

尺寸: 1100x1100x150mm  
板重: 22.5kg  
插口: 四向




## R-1111-C

尺寸: 1100x1100x150mm  
板重: 30.5kg  
插口: 四向



## HO-1111-15

尺寸: 1100x1100x150mm  
板重: 19.5kg  
插口: 四向




## A-1111

尺寸: 1100x1100x150mm  
板重: 20.0kg  
插口: 四向




## RO-1111

尺寸: 1100x1100x150mm  
板重: 26.0kg  
插口: 四向




## R-1140

尺寸: 1140x1140x140(150)mm  
板重: 26.5kg  
插口: 四向




## A-1150

尺寸: 1150x1150x135mm  
板重: 20.5kg  
插口: 四向




## RO2-1165

尺寸: 1165x1165x150mm  
板重: 27.5kg  
插口: 二向



## R-1170

尺寸: 1170x1170x150mm  
板重: 36.0kg  
插口: 四向




## A2-1206

尺寸: 1200x600x130mm  
板重: 9.5kg  
插口: 二向




## A-1208

尺寸: 1200x800x170mm  
板重: 14.5kg  
插口: 四向



## A-1209

尺寸: 1200x900x140mm  
板重: 25.5kg  
插口: 四向




# 廠內用棧板系列

自動倉庫、堆高機、拖板車專用棧板，可依客戶需求訂製。



## HO-1210

尺寸：1200x1000x125mm  
板重：21.0kg  
插口：四向



## S-1210-11

尺寸：1200x1000x130mm  
板重：11.0kg  
插口：四向



## S-1210-14

尺寸：1200x1000x130mm  
板重：14.0kg  
插口：四向



## R-1210-A

尺寸：1200x1000x150mm  
板重：22.5kg  
插口：四向



## R-1210-B

尺寸：1200x1000x140(150)mm  
板重：25.0kg  
插口：四向



## R-1210-C

尺寸：1200x1000x150mm  
板重：30.0kg  
插口：四向




## HO-1210-15

尺寸：1200x1000x150mm  
板重：19.0kg  
插口：四向



## RO2-1210

尺寸：1200x1000x130mm  
板重：24.5kg  
插口：二向




## H-1210

尺寸：1200x1000x150mm  
板重：20.5kg  
插口：四向



## RF-1210

尺寸：1200x1000x150mm  
板重：26.0kg  
插口：四向



## R-1210-16

尺寸：1200x1000x160mm  
板重：29.5kg  
插口：四向




## A-1210

尺寸：1200x1000x160mm  
板重：18.0kg  
插口：四向




## R-12105

尺寸：1200x1050x150mm  
板重：26.0kg  
插口：四向



## A-1211

尺寸：1200x1100x150mm  
板重：17.0kg  
插口：四向



## HO-1211

尺寸：1200x1100x150mm  
板重：20.0kg  
插口：四向




## R-1211

尺寸：1200x1100x150mm  
板重：27.0kg  
插口：四向



## R-1212-A

尺寸：1200x1200x140(150)mm  
板重：26.5kg  
插口：四向




## R-1212-B

尺寸：1200x1200x140(150)mm  
板重：32.0kg  
插口：四向




## R-1212-C

尺寸：1200x1200x150mm  
板重：39.0kg  
插口：四向



## RF-1212

尺寸：1200x1200x140(150)mm  
板重：29.5kg  
插口：四向




## R2-1212

尺寸：1200x1200x150mm  
板重：32.0kg  
插口：二向




## H-1212

尺寸：1200x1200x150mm  
板重：27.0kg  
插口：四向




## A-1212

尺寸：1200x1200x160mm  
板重：19.3kg  
插口：四向




## R2-1220

尺寸：1220x1220x150mm  
板重：33.0kg  
插口：四向








# 廠內用棧板系列

自動倉庫、堆高機、拖板車專用棧板，可依客戶需求訂製。




## RH-1220

尺寸：1220x1220x175mm  
板重：42.0kg  
插口：四向




## R-12611

尺寸：1260x1100x140mm  
板重：28.0kg  
插口：四向



## H-1386

尺寸：1300x860x140mm  
板重：21.0kg  
插口：四向




## R-1311-A

尺寸：1300x1100x140(150)mm  
板重：33.0kg  
插口：四向




## R-1311-B

尺寸：1300x1200x150mm  
板重：40.0kg  
插口：四向




## RO-1311

尺寸：1300x1100x150mm  
板重：25.0kg  
插口：四向




## A-1311

尺寸：1300x1100x150mm  
板重：17.0kg  
插口：四向




## R-1312

尺寸：1300x1200x160mm  
板重：48.0kg  
插口：四向




## R-1313

尺寸：1300x1300x150mm  
板重：34.4kg  
插口：四向



## R-13511-A

尺寸：1350x1100x150mm  
板重：28.0kg  
插口：四向



## R-13511-B

尺寸：1350x1100x140(150)mm  
板重：34.0kg  
插口：四向



## RO-13511

尺寸：1350x1100x150mm  
板重：30.0kg  
插口：四向




## RF-13511

尺寸：1350x1100x150mm  
板重：40.5kg  
插口：四向




## H-135118

尺寸：1350x1180x150mm  
板重：24.9kg  
插口：四向




## A-1411

尺寸：1400x1100x160mm  
板重：19.5kg  
插口：四向




## R-1411-15

尺寸：1400x1100x150mm  
板重：33.0kg  
插口：四向




## R-1411-14

尺寸：1400x1100x140mm  
板重：37.5kg  
插口：四向




## HO-1411

尺寸：1410x1110x125mm  
板重：28.5kg  
插口：四向




## H-1414

尺寸：1400x1400x160mm  
板重：32.0kg  
插口：四向




## H-142112

尺寸：1420x1120x142mm  
板重：15.5kg  
插口：四向




## R-145105

尺寸：1450x1050x150mm  
板重：33.2kg  
插口：四向




## R-145113

尺寸：1450x1130x150mm  
板重：35.7kg  
插口：四向




## R-14512

尺寸：1450x1200x150mm  
板重：32.5kg  
插口：四向



## R-14682

尺寸：1460x820x150mm  
板重：35.0kg  
插口：四向




# 廠內用棧板系列

自動倉庫、堆高機、拖板車專用棧板，可依客戶需求訂製。




## H-146113

尺寸：1460x1130x150mm  
板重：27.5kg  
插口：四向



## R-1511

尺寸：1500x1100x150mm  
板重：41.0kg  
插口：四向




## R2-1512

尺寸：1500x1200x150mm  
板重：46.0kg  
插口：二向




## R-1512

尺寸：1500x1200x150mm  
板重：42.0kg  
插口：四向




## R-1514

尺寸：1500x1400x150mm  
板重：36.0kg  
插口：四向




## R-1515

尺寸：1500x1500x150mm  
板重：33.0kg  
插口：四向



## R-153113

尺寸：1530x1130x150mm  
板重：42.0kg  
插口：四向



## R-155125

尺寸：1550x1250x150mm  
板重：40.0kg  
插口：四向




## RF-1612

尺寸：1600x1200x150mm  
板重：42.0kg  
插口：四向




## R-1612

尺寸：1600x1200x150mm  
板重：58.0kg  
插口：四向




## R2-1614

尺寸：1600x1400x150mm  
板重：44.0kg  
插口：二向




## R-16514

尺寸：1650x1400x155mm  
板重：52.0kg  
插口：四向




## RF-1616

尺寸：1600x1600x150mm  
板重：53.0kg  
插口：四向




## R-1717

尺寸：1700x1700x150mm  
板重：56.5kg  
插口：四向




## R-174154

尺寸：1740x1540x170mm  
板重：53.0kg  
插口：四向



## R-1809

尺寸：1800x900x150mm  
板重：43.0kg  
插口：四向



## R-18113

尺寸：1800x1130x150mm  
板重：50.0kg  
插口：四向




## R-1812

尺寸：1800x1200x150mm  
板重：55.0kg  
插口：四向




## R-18143

尺寸：1800x1430x150mm  
板重：53.0kg  
插口：四向




## R-1816

尺寸：1800x1600x150mm  
板重：59.0kg  
插口：四向




## R-1818

尺寸：1813x1813x150mm  
板重：58.0kg  
插口：四向




## R-1995

尺寸：1900x950x150mm  
板重：36.0kg  
插口：四向




## R-1960


尺寸：1960x1960x150mm  
板重：68.5kg  
插口：四向



## R-2316

尺寸：2300x1600x140mm  
板重：66.0kg  
插口：四向












# 大型箱系列




## · Scientific and convenient NJB-430



- ① Attached RFID chip can provide real-time tracking information of goods. So, it is easy to construct logistics automation System.(NJB 430)
- ② Prevention damage of goods:To protect damage of goods, inner gridded parts are made softly.
- ③ Side Handle structure: It is designed to be used as handle at sides. It is efficiency to move products.
- ④⑤ Quick and easy work by fork-lifter and hand-car usea
- ⑥ Anti-slip rubber feet: Special rubber feet on the bottom has increased the safety of fork-lifter work.
- ⑦ Water plug(2 unis): It is easy to wash and drain by water plug(For plate type)
- ⑧⑨ According to the usage, both removal and attaching of urethane wheels at bottom is available

## · USAGE





# 大型箱系列



NJB 100	
CAPACITY	100ℓ
EXTERNAL	685x485x415mm
INTERNAL	640x440x365mm
EFFECTIVE INTERNAL	625x426x355mm
COMPRESSION WEIGHT	3,000kg
INTERNAL LOADING	80kg
MATERIAL	PPC
REMARK	



NJB 200/200C	
CAPACITY	200ℓ
EXTERNAL	860x620x530mm
INTERNAL	805x560x510mm
EFFECTIVE INTERNAL	785x560x495mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	200kg
MATERIAL	PPC
REMARK	<ul style="list-style-type: none"> <li>• 200C:Wheel(H:127)</li> <li>• Max:stacking 4 layers</li> <li>• Water exit: 1EA.at the bottom</li> </ul>



NJB 400A/400AC	
CAPACITY	400ℓ
EXTERNAL	1095x795x640mm
INTERNAL	1005x705x620mm
EFFECTIVE INTERNAL	980x680x600mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	400kg
MATERIAL	PPC
REMARK	<ul style="list-style-type: none"> <li>• 400AC:Wheel(H:198)</li> <li>• Max:stacking 4 layers</li> <li>• Water exit:bottom (1EA),shortside(1EA)</li> </ul>



NJB 400G/400GC	
CAPACITY	400ℓ
EXTERNAL	1095x795x640mm
INTERNAL	1005x705x620mm
EFFECTIVE INTERNAL	980x680x600mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	400kg
MATERIAL	H/D PE
REMARK	<ul style="list-style-type: none"> <li>• 400GC:Wheel(H:198)</li> <li>• Max:stacking 4 layers</li> </ul>



NJB 430G/430GC	
CAPACITY	430ℓ
EXTERNAL	1100x1100x580mm
INTERNAL	1000x1000x460mm
EFFECTIVE INTERNAL	960x960x440mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	430kg
MATERIAL	PPC
REMARK	<ul style="list-style-type: none"> <li>• 430GC:Wheel(H:161)</li> <li>• Max:stacking 6 layers</li> </ul>



NJB 430P/430PC	
CAPACITY	430ℓ
EXTERNAL	1100x1100x580mm
INTERNAL	1000x1000x460mm
EFFECTIVE INTERNAL	960x960x440mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	430kg
MATERIAL	PPC
REMARK	<ul style="list-style-type: none"> <li>• 430PC:Wheel(H:161)</li> <li>• Max:stacking 6 layers</li> <li>• Water exit:bottom (2EA)</li> </ul>



NJB 600/600C	
CAPACITY	600ℓ
EXTERNAL	1465x945x690mm
INTERNAL	1355x830x550mm
EFFECTIVE INTERNAL	1330x810x520mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	600kg
MATERIAL	PPC
REMARK	<ul style="list-style-type: none"> <li>• 600C:Wheel(H:198)</li> <li>• Max:stacking 4 layers</li> <li>• Cover</li> <li>• Water exit:bottom (1EA),shortside(2EA)</li> </ul>



NJB 625G/625GC	
CAPACITY	625ℓ
EXTERNAL	1100x1100x775mm
INTERNAL	1000x1000x640mm
EFFECTIVE INTERNAL	978x978x619mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	625kg
MATERIAL	PPC
REMARK	<ul style="list-style-type: none"> <li>• 625GC:Wheel(H:161)</li> <li>• Max:stacking 4 layers</li> </ul>




NJB 625GO/625GOC	
CAPACITY	625ℓ
EXTERNAL	1100x1100x775mm
INTERNAL	1000x1000x640mm
EFFECTIVE INTERNAL	978x978x619mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	625kg
MATERIAL	PPC
REMARK	<ul style="list-style-type: none"> <li>• 625GOC:Wheel(H:161)</li> <li>• Max:stacking 4 layers</li> </ul>



NJB 625P/625PC	
CAPACITY	625ℓ
EXTERNAL	1100x1100x775mm
INTERNAL	1000x1000x640mm
EFFECTIVE INTERNAL	978x978x619mm
COMPRESSION WEIGHT	5,000kg
INTERNAL LOADING	625kg
MATERIAL	PPC
REMARK	<ul style="list-style-type: none"> <li>• 625PC:Wheel(H:161)</li> <li>• Max:stacking 4 layers</li> <li>• Water exit:shortside(2EA)</li> </ul>






# 大型箱系列




## NJC 800

CAPACITY	880ℓ
EXTERNAL	1100x1100x1065(396)mm
INTERNAL LOADING	500kg
MATERIAL	PPC.etc
REMARK	




■ It is economic as you can make effective use of work spaces.


■ When used  
Multiple level loading enabling.



■ Storage  
Foldable containers save space and cost for your storage and retrieval.




■ Supply Agricultural Products cold



■ Cool air circulation rods  
It has grill type of wall. So, it is easy to cool air circulation when agricultural products are stored in low temperature. And, Cool circulation rods by installing help to supply the cold smoothly in the middle of agricultural products. (Purchased separately)



■ Easy use and arrangement



# 物流搬運箱




型號	外徑尺寸 (m/m)	
	長L	寬Wx高H
一號物流箱	550x345x231	(訂製品)
二號物流箱	555x385x245	
三號物流箱	555x385x320	
四號物流箱	549x345x339	(訂製品)
五號物流箱	730x546x448	(訂製品)



防滑密底 防滑密底近照

# 自動倉庫專用塑膠箱




長 x 寬 x 高
500 x 330 x 180
600 x 400 x 240
620 x 430 x 310
640 x 430 x 260
800 x 600 x 240
800 x 600 x 400
荷重30 ~ 80 kg



**專利品**





# 泛用塑膠箱（籃）系列



T01 一格搬運箱



尺寸: 內 580x390x100mm  
外 620x430x110mm

T02 二格搬運箱



尺寸: 內 580x390x140mm  
外 620x430x150mm

T03 三格搬運箱



尺寸: 內 580x390x190mm  
外 620x430x200mm

T04 四格搬運箱



尺寸: 內 580x390x240mm  
外 620x430x250mm

T06 六格搬運箱



尺寸: 內 580x390x310mm  
外 620x430x320mm

T08 八格搬運箱



尺寸: 內 580x390x375mm  
外 620x430x385mm

TC01 一格儲運箱




尺寸: 內 580x390x100mm  
外 620x430x110mm

TC02 二格儲運箱



尺寸: 內 580x390x140mm  
外 620x430x150mm

TC03 三格儲運箱



尺寸: 內 580x390x190mm  
外 620x430x200mm

TC04 四格儲運箱



尺寸: 內 580x390x240mm  
外 620x430x250mm

TC06 六格儲運箱



尺寸: 內 580x390x310mm  
外 620x430x320mm

TC08 八格儲運箱



尺寸: 內 580x390x375mm  
外 620x430x385mm

A01 鐵柄物流箱



尺寸: 內 580x360x130mm  
外 620x400x140mm

A02A 物流籃



尺寸: 內 480x360x250mm  
外 500x380x270mm

A02B 物流籃



尺寸: 內 465x330x265mm  
外 500x360x275mm

A03 物流籃



尺寸: 內 435x350x162mm  
外 470x385x170mm

A04 物流籃



尺寸: 內 720x470x132mm  
外 750x500x140mm

A05 鐵柄物流籃



尺寸: 內 580x400x380mm  
外 620x430x390mm

A05-2 鐵柄物流籃



尺寸: 內 670x420x360mm  
外 720x460x370mm

A08 物流籃



尺寸: 內 790x575x420mm  
外 850x630x440mm

A09 物流籃（附輪）



尺寸: 內 735x500x450mm  
外 780x545x485mm

A09A 物流籃（附輪）



尺寸: 內 740x460x420mm  
外 780x500x460mm

A10 物流籃



尺寸: 內 470x370x320mm  
外 500x400x330mm

A10H 物流籃



尺寸: 內 470x370x320mm  
外 500x400x330mm

A11 物流籃



尺寸: 內 470x320x300mm  
外 500x350x310mm

A17 物流籃



尺寸: 內 645x446x432mm  
外 685x485x444mm



# 泛用塑膠箱（籃）系列



K01 一號工具箱

內盒：182x120x85mm



尺寸：內 378x252x102mm  
外 430x290x110mm

K02 二號工具箱



尺寸：內 470x290x170mm  
外 500x330x180mm

K02N 二號工具箱（底網）



尺寸：內 470x290x170mm  
外 500x330x180mm

K03 三號工具箱



尺寸：內 380x315x280mm  
外 410x340x290mm

K04 四號工具箱



尺寸：內 380x315x190mm  
外 410x340x200mm

K05 五號工具箱



尺寸：內 330x270x90mm  
外 360x310x95mm

K06 六號工具箱



尺寸：內 415x260x165mm  
外 450x295x175mm

K07 七號工具箱



尺寸：內 610x350x110mm  
外 650x380x120mm

K08 八號工具箱



尺寸：內 730x330x110mm  
外 770x370x120mm

K09 九號工具箱



尺寸：內 380x260x95mm  
外 420x290x100mm

K09N 九號工具箱（網）



尺寸：內 380x260x95mm  
外 420x290x100mm

K10 十號工具箱




尺寸：內 315x210x160mm  
外 345x240x170mm

K11 十一號工具箱



尺寸：內 370x280x65mm  
外 410x305x90mm

K12 十二號工具箱



尺寸：內 420x320x135mm  
外 470x350x140mm

K13 十三號工具箱



尺寸：內 500x360x210mm  
外 530x395x220mm

K14 十四號工具箱



尺寸：內 285x165x125mm  
外 315x195x130mm

K15 十五號工具箱



尺寸：內 370x280x135mm  
外 402x310x140mm

K19 十九號工具箱



尺寸：內 675x273x55mm  
外 750x305x65mm

M01 新型飲料箱



尺寸：內 380x313x280mm  
外 408x340x295mm

M02 小牛奶箱



尺寸：內 380x310x190mm  
外 410x350x220mm

M03 圓瓶牛奶箱



尺寸：內 470x290x170mm  
外 500x330x180mm

M04 飲料箱



尺寸：內 340x340x340mm  
外 370x370x355mm

M041 保久乳箱



尺寸：內 375x315x183mm  
外 400x345x195mm

M05 酵母乳箱



尺寸：內 480x400x100mm  
外 520x430x110mm

M06 鮮奶箱



尺寸：內 445x360x250mm  
外 470x390x260mm

M07 小鮮奶箱



尺寸：內 442x355x154mm  
外 470x385x166mm

M08 羊奶箱-A



尺寸：內 330x280x155mm  
外 365x313x170mm

TF03 折合籃



尺寸：內 500x325x265mm  
外 530x360x280mm  
合 530x360x70mm


KFC01 物料管理夾



L90xW75










## 油壓拖板車

- NO.1 尺寸：L900mmxW520
- NO.2 尺寸：L1100mmxW520
- NO.3 尺寸：L1200mmxW680




## 忍者龜物流台車



〔平面式〕


- 1號  
內徑尺寸：650x430x120mm  
外徑尺寸：660x460x140mm
- 2號  
內徑尺寸：680x470x125mm  
外徑尺寸：700x500x150mm
- 3號  
內徑尺寸：490x350x124mm  
外徑尺寸：500x370x130mm
- 4號【平面式】  
尺寸：660x450x130mm
- 5號  
尺寸：560x550x145mm



【5號】

## 塑膠隔板配件





## 棧板框架 (訂製品)



## L 型物流台車

- NO.1 尺寸：800x600x1450mm
- NO.2 尺寸：800x600x1700mm
- NO.3 尺寸：950x800x1700mm
- NO.4 尺寸：1100x800x1700mm
- NO.5 尺寸：850x650x1700mm




## 倉庫籠



	型式	線徑 m/m	網間隔 m/m	外型尺寸 (m/m)			腳高 m/m	自重 kg	腳部內側尺寸		容積 m <sup>3</sup>	容量 kg	積載 段數
				長度L	寬度W	高度H			長度L	寬度W			
一般規格	A-3	6.0	50x50	800	600	640	100	31	666	447	0.22	800	4
	A-5	6.0	50x50	1000	800	840	100	49	860	570	0.52	1200	4
	A-7	6.0	50x50	1200	1000	890	100	66	1060	765	0.84	1500	4
特殊標準規格	B-5	6.3	50x50	1000	800	840	100	54	860	570	0.52	1500	4
	B-7	6.3	50x50	1200	1000	890	100	74	1060	765	0.84	2000	4
	B-5-1/2	6.3	50x50	1000	800	500	100	39	860	570	0.26	1000	4
	S-5	6.3	50x100	1000	800	840	100	44	704	570	0.52	1000	4
規格	S-7	6.3	50x100	1200	1000	890	100	62	1060	765	0.84	1000	4
	C-2	5.0	25x50	800	500	540	100	24	702	269	0.15	500	4
	C-5	5.0	50x50	1000	800	840	100	38	860	570	0.52	500	3
	E-2	3.0	30x30	800	500	530	100	17	702	296	0.15	250	4





# 50加侖專用棧板



堆高機、拖板車共用




尺寸：1220x1220x175mm

板重：40kg

載重：靜 4800、動 1200



專利品



# 防漏棧板

堆高機、拖板車共用




尺寸：1320x1300x300mm


板重：34.5kg

載重：靜 3000kg、動 1500kg


防漏量：260L




# CNS 規範--棧板測試




腳部壓縮



落下測試



荷重測試



止滑測試





## 萬漣物流服務有限公司

PAN-LINK LOGISTICS SERVICE COMPANY

## 萬連物流設備股份有限公司

IK & PP LOGISTICS EQUIPMENT CORPORATION

## 萬豐生物科技股份有限公司

WAN FENG BIOTECH CO., LTD.

(台灣) 桃園市33373龜山區忠義路三段197巷16號

TEL:886-3-3280493 FAX:886-3-3280496

(中區) 台中市40764西屯區西屯路3段宏福一巷32號

TEL:886-4-24618919 FAX:886-4-24618525

(南區) TEL:0800-660-660

(北京廠) 北京市通州區郭縣鎮高莊村村委會南大門院內

(昆山廠) 江蘇省太倉市滬宜公路華海公司(雙鳳鎮204國道西50米)

(呼和浩特廠) 內蒙古自治區呼和浩特市經濟技術開發區如意工業新區陽光大街南側

(芬蘭廠) Piikatu 16, 55120 Imatra, Finland

(新加坡廠) 48 Toh Guan Road East, #03-117 Enterprise Hub Singapore 608586

(越南廠) 26 ROAD NO.6., QUARTER 5, TRUONG THO WARD., THU DUC DIST.,

HO CHI MINH CITY, VIETNAM

E-mail:pan-link@mail.pan-link.com

<http://www.ikpp-panlink.com>